





CHILTON FULL VENEER COUNTRY SQUIRE

Dressed and cut stones that are worked until squared. Capable of thin joints between stones, the linear appearance of an ashlar pattern stone installation results in the most traditional natural stone masonry application. Pieces range in heights from 1/2" to 8", with lengths from 6" up to 42" for full veneer stone and 6" up to 24" for thin stone veneer. Its natural colors range from grays to charcoals with occasional mauves.

SKU 129

Brand BSC

Application/Use Veneer

Size

Length 6"-42"

Height .5"-8"

Thickness 3"-5"

Characteristics

Color Light Blue|Light Grey|Lilac

Stone Type Dolomitic Limestone

Veneer Type Full

Cut Ashlar

Data

ASTM TESTING DATA Chilton C97 Water Absorption-0.08% Chilton C97 Density-177.4 Pcf Chilton C99 Modulus of Rupture-1,220 Psi Chilton C170 Compressive Strength W/rift-50,560 Psi Compressive Strength Across Rift-38,090 Psi Chilton C880 Flexural Strength-3,070 Psi

Coverage & Weight

Coverage per Ton 40 SF / TON