





# PRO-FIT ALPINE ECHO RIDGE 10 SOUARE FOOT HANDIPACK

A sleek and impactful answer for a modern outdoor look that works indoors as well. Reminiscent of Northern Ski Lodges, it is easy to install and precisely textured. Dimensions (approx): 4" H x 8" L, 4" H x 12" L, and 4" H x 20" L

**SKU** 14422

**Brand CULTURED STONE** 

Application/Use Veneer

### **Size**

Length 8", 12", 20"

Height 4"

**Thickness** .75 - 2.25

#### **Characteristics**

Color Light Gray|Charcoal Gray|Tan|Brown

Veneer Type Thin

**Material** Concrete

#### Data

ASTM TESTING DATA Materials Cement Astm C 150 or Aci 318 Section 3.2.1 Sand Astm C 144 or C 33 Aggregate Astm C 33 or C 330 (except Gradation), C 331 Testing Shear Bond Test (adhesion) Tested in Accordance With Astm C 482 > 50 Psi Water Absorption Tested in Accordance With Ubc 15-5 9%-22% Depending on Texture Freeze/thaw Characteristics Testing Procedures Follow Those Outlined in Astm C 67 < 3% Mass Loss Compressive Strength Tested in Accordance With Astm C 39 > 1800 Psi @ 28 Days Unit Weight Density Is Determined in Accordance With Astm C 567 < 15 Lbs. Per Square Foot Tensile Strength Tested in Accordance With Astm C 190 Reported Flexural Strength Tested in Accordance With Astm C 348 Reported Thermal Properties Tested in Accordance With Astm C 177-71 R-value Is .620 Based on a 1.75" Thick Sample. Average Thickness May Vary on Different Cultured Stone Veneer Products, and the R-value Will Vary Accordingly. Noncombustible Tested and Listed by Underwriters Laboratories, Inc. Cultured Stone Brand Products

Showed Zero Flame Spread and Zero Smoke Development.

## **Coverage & Weight**

Coverage per Box 10 SQ FT