




9645 Airport Hwy,
Monclova, OH 43542
419-861-9600



HANDMADE BRICK TITANIUM 8 SQUARE FOOT HANDIPACK

Inspired by the warmth of old brick structures from the American East Coast. Depending on your color and design choices, this brick can be warm and charming or industrial and modern. Dimensions (approx): 2.75" H x 8.19" L

SKU 17211

Brand CULTURED STONE

Application/Use Veneer

Size

Length 8 3/16"

Height 2 3/4"

Thickness 3/4"

Characteristics

Color Cream

Veneer Type Thin Veneer

Cut Handmade Brick

Material Concrete

Data

ASTM TESTING DATA Materials cement Astm C 150 or Aci 318 Section 3.2.1 sand Astm C 144 or C 33 aggregate Astm C 33 or C 330 (except Gradation), C 331 testing shear Bond Test (adhesion) tested in Accordance With Astm C 482 > 50 Psi water Absorption Tested in Accordance With Ubc 15-5 9%-22% Depending on Texture freeze/thaw Characteristics testing Procedures Follow Those Outlined in Astm C 67 < 3% Mass Loss compressive Strength tested in Accordance With Astm C 39 > 1800 Psi @ 28 Days unit Weight density Is Determined in Accordance With Astm C 567 < 15 Lbs. Per Square Foot tensile Strength Tested in Accordance With Astm C 190 Reported flexural Strength Tested in Accordance With Astm C 348 Reported thermal Properties tested in Accordance With Astm C 177-71 r-value Is .620 Based on a 1.75" Thick Sample. Average Thickness May Vary on Different Cultured Stone Veneer Products, and the R-value Will Vary Accordingly. noncombustible tested and Listed by Underwriters Laboratories, Inc. cultured Stone Brand Products Showed Zero

Flame Spread and Zero Smoke Development.

Coverage & Weight

Coverage per Box 8 SQ FT
